

Cost estimate

Sender / billing address

Order

Address for dispatch

Purchaser

Date

Commission

Hi! My name is Galileo and I am a mobility base. My seat can be tilted up to 40° and adapts to your needs. Have a look at this order sheet to find out about the options I have to offer.





Figure does not comply with the base model and its accessories | Size tolerance of $\pm 3\%$

Base model

- Welded abduction frame
- Seat plate adjustable in depth
- 0° and 2° wheel camber
- Seat tilting up to 40°
- Manual back rest recline adjustment up to 35°
- Back can be folded down and is steplessly adjustable in depth
- Castor wheels with aluminium castor forks and castor stems
- Drive wheels with drum brakes and hand brake
- Angle-adjustable push bar

Reimbursement code Germany

push rims incl. **26.99.01.1067**

This wheelchair frame complies with ISO 7176-19, transporting users in motor vehicles (with wheelchair-tiedown and occupant-restraint system).

Weight and load capacity

Weight:
depending on your configuration at least 13.5 kg

Load capacity:
Max. load capacity
(Patient's weight incl. seat shell)
Up to 80 kg: with standard frame
From 80 kg to 120 kg:
with closed frame and double gas spring

Please consider these facts!




Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com



Standard seat height (f)					
Size	12"	16"	20"	22"	24"
Mini	44.5 cm	47.5 cm	42.5 cm	45 cm	47 cm
0	44.5 cm	47.5 cm	42.5 cm	45 cm	47 cm
1	44.5 cm	47.5 cm	42.5 cm	45 cm	47 cm
2 short	44.5 cm	47.5 cm	42.5 cm	45 cm	47 cm
2 long	46.5 cm	49.5 cm	44.5 cm	47 cm	49 cm
3	46.5 cm	49.5 cm	44.5 cm	47 cm	49 cm
4	46.5 cm	49.5 cm	44.5 cm	47 cm	49 cm
5	46.5 cm	49.5 cm	44.5 cm	47 cm	49 cm
6	46.5 cm	49.5 cm	44.5 cm	47 cm	49 cm

The drive wheels can be moved up/down by ± 2.5 cm.

You may increase the height of the seat plate by 2/4 cm.

Depending on how you apply these options, the seat height increases or decreases.

Size tolerance of $\pm 3\%$ | More seat heights available on request!

Measurements							
Size	(a) Total length	(b) Total width ⁽¹⁾	(c) Seat plate - back depth ⁽²⁾		Seat plate width	(d) Seat plate depth	
			Standard seat plate	Extended seat plate		Standard	Extended
Mini	70 - 84 cm	54 cm	29.5 - 32.5 cm	35 - 38 cm	20.5 cm	26.5 cm	32 cm
0	70 - 84 cm	57 cm	29.5 - 32.5 cm	35 - 38 cm	20.5 cm	26.5 cm	32 cm
1	70 - 84 cm	60 cm	35 - 38 cm	41 - 48 cm	26.5 cm	32 cm	38 cm
2 short	70 - 84 cm	63 cm	35 - 38 cm	41 - 48 cm	26.5 cm	32 cm	38 cm
2 long	78 - 93 cm	63 cm	35 - 38 cm	41 - 48 cm	26.5 cm	32 cm	38 cm
3	78 - 93 cm	66 cm	41 - 48 cm	46 - 53 cm	32.5 cm	38 cm	43 cm
4	78 - 93 cm	69 cm	41 - 48 cm	46 - 53 cm	32.5 cm	38 cm	43 cm
5	78 - 93 cm	72 cm	46 - 53 cm	—	38.5 cm	43 cm	—
6	78 - 93 cm	75 cm	46 - 53 cm	—	38.5 cm	43 cm	—

⁽¹⁾ The total width is reduced by 3 cm when applying a wheel camber of 0 degrees. ⁽²⁾ From the seat plate's front edge to the back

Size	(e) Knee angle extension from seat plate	(g) Seat plate - back height	(h) Width between drive wheels ⁽³⁾		Frame length	(i) Inner frame width	Back recline
			Wheel guards incl.	No wheel guards			
Mini	up to 4 cm	55 - 65 cm	32.5 cm	34.5 cm	58 cm	29.5 cm	35°
0	up to 4 cm	55 - 65 cm	35.5 cm	37.5 cm	58 cm	32.5 cm	35°
1	up to 4 cm	55 - 65 cm	38.5 cm	40.5 cm	58 cm	35.5 cm	35°
2 kurz	up to 6.5 cm	55 - 65 cm	41.5 cm	43.5 cm	58 cm	38.5 cm	35°
2 lang	up to 6.5 cm	55 - 65 cm	41.5 cm	43.5 cm	68 cm	38.5 cm	35°
3	up to 6.5 cm	55 - 65 cm	44.5 cm	46.5 cm	68 cm	41.5 cm	35°
4	up to 6.5 cm	55 - 65 cm	47.5 cm	49.5 cm	68 cm	44.5 cm	35°
5	up to 6.5 cm	55 - 65 cm	50.5 cm	52.5 cm	68 cm	47.5 cm	35°
6	up to 6.5 cm	55 - 65 cm	53.5 cm	55.5 cm	68 cm	50.5 cm	35°

⁽³⁾ The distance between the drive wheels extends by 3 cm when applying a wheel camber of 0 degrees (referring to 22" drive wheels). Assuming 20" drive wheels, the distance between the drive wheels extends by 0.5 cm (3.5 cm in total) and assuming 24" drive wheels, the distance is reduced by 0.5 cm (2.5 cm in total).

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

CAUTION! Please consider wheel camber!

Standard frame, abducted		2° wheel camber	Closed frame, abducted												
Single gas spring	Double gas spring (required when 80 kg are exceeded!)	Single gas spring	Double gas spring (required when 80 kg are exceeded!)												
Size Mini (1015911) Size 0 (1015912) Size 1 (1015913) Size 2 short (1015810) Size 2 long(1015919) Size 3 (1015920) Size 4 (1016462)	Size 3 (1015917) Size 4 (1015918) Size 5 (1015827) Closed frame required when 80 kg are exceeded! Indicate total load! <table><tr><td>Total load</td><td>Gas spring</td></tr><tr><td>up to 80 kg</td><td>2 × 200 N (1)</td></tr><tr><td>exceeding 80 kg</td><td>2 × 350 N (1)</td></tr></table>	Total load	Gas spring	up to 80 kg	2 × 200 N (1)	exceeding 80 kg	2 × 350 N (1)	Size 2 long(1017182) Size 3 (1017251) Size 4 (1017252) Closed frame required when 80 kg are exceeded! Indicate total load!	Size 3 (1017253) Size 4 (1017254) Size 5 (1017255) Size 6 (1017800) Indicate toal load! <table><tr><td>Total load</td><td>Gas spring</td></tr><tr><td>up to 80 kg</td><td>2 × 200 N (1)</td></tr><tr><td>exceeding 80 kg</td><td>2 × 350 N (1)</td></tr></table>	Total load	Gas spring	up to 80 kg	2 × 200 N (1)	exceeding 80 kg	2 × 350 N (1)
Total load	Gas spring														
up to 80 kg	2 × 200 N (1)														
exceeding 80 kg	2 × 350 N (1)														
Total load	Gas spring														
up to 80 kg	2 × 200 N (1)														
exceeding 80 kg	2 × 350 N (1)														
Base price 2.458,— €	Base price 2.870,— €	Base price 2.841,— €	Base price 3.206,— €												

⁽¹⁾ In case you do not specify the total load, we apply 2 × 200 N by default.

Standard frame, abducted		0° wheel camber	Closed frame, abducted												
Single gas spring	Double gas spring (required when 80 kg are exceeded!)	Single gas spring	Double gas spring (required when 80 kg are exceeded!)												
Size Mini (1018668)	Size 3 (1018675)	Size 2 long(1018683)	Size 3 (1018686)												
Size 0 (1018669)	Size 4 (1018676)	Size 3 (1018684)	Size 4 (1018687)												
Size 1 (1018670)	Size 5 (1018677)	Size 4 (1018685)	Size 5 (1018688)												
Size 2 short (1018671)	Closed frame required when 80 kg are exceeded! Indicate total load!	Closed frame required when 80 kg are exceeded! Indicate total load!	Size 6 (1018689)												
Size 2 long(1018672)			Indicate toal load!												
Size 3 (1018673)															
Size 4 (1018674)	<table><tr><td>Total load</td><td>Gas spring</td></tr><tr><td>up to 80 kg</td><td>2×200 N (1)</td></tr><tr><td>exceeding 80 kg</td><td>2×350 N (1)</td></tr></table>	Total load	Gas spring	up to 80 kg	2×200 N (1)	exceeding 80 kg	2×350 N (1)		<table><tr><td>Total load</td><td>Gas spring</td></tr><tr><td>up to 80 kg</td><td>2×200 N (1)</td></tr><tr><td>exceeding 80 kg</td><td>2×350 N (1)</td></tr></table>	Total load	Gas spring	up to 80 kg	2×200 N (1)	exceeding 80 kg	2×350 N (1)
Total load	Gas spring														
up to 80 kg	2×200 N (1)														
exceeding 80 kg	2×350 N (1)														
Total load	Gas spring														
up to 80 kg	2×200 N (1)														
exceeding 80 kg	2×350 N (1)														
Base price 2.458,— €	Base price 2.870,— €	Base price 2.841,— €	Base price 3.206,— €												

⁽¹⁾ In case you do not specify the total load, we apply 2 × 200 N by default.

Frame colours

 Pure white (RAL 9010)	 Bordeaux violet (RAL 4004)	 Luminous green (RAL 6038)
 Daffodil yellow (RAL 1007)	 Ultramarine blue (RAL 5002)	 Anthracite grey, matt (RAL 7016m)
 Luminous yellow (RAL 1026)	 Metallic traffic blue*	 Metallic silver*
 Pure orange (RAL 2004)	 Pearl night blue, matt (RAL 5026)	 Metallic anthracite*
 Luminous orange (RAL 2005)	 Water blue (RAL 5021)	 Graphite black, matt (RAL 9011m)
 Ruby red (RAL 3003)	 Light green (RAL 6027)	 Glossy jet black (RAL 9005g)
 Pearl ruby red, matt (RAL 3032)	 Yellow green (RAL 6018)	
 Heather violet (RAL 4003)	 Pearl green, matt (RAL 6035)	

* no RAL colours

This is only an overview of colours. Find all details at www.rehatec.com.

Patient's muscle tone

Stereotypic movements
(e.g. permanent body rocking)*

Measurements

Seath shell width	Seat shell depth
cm	cm

Total load
(patient+seat shell)

kg

* If there are stereotypic movements, please check whether the stander requires any special customisation.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com



Drive wheels including drum brake									
Caution! Mountainbike and Big Apple wheels extend Galileo's total width by 4 cm!		Standard 		Mountainbike Code 4063 Off-road tyres 		Big Apple Code 4068 Large tyres for increased control 		Marathon Code 4080 (22") Code 4074 (24") Thin tyres, shallow tyre tread 	
		Pair		Pair / extra charge 341, – €		Pair / extra charge 341, – €		Pair / extra charge 79, – €	
		12"	16"	20"	22"	24"	24"	22"	24"
Solid rubber	Grey	—	—	—	—	—	—	—	—
	Black	—	(3)	—	—	—	—	—	—
Pneumatic	Grey	—	—	—	—	—	—	—	—
	Black	—	—	—	—	—	—	—	—

(3) Extra charge (Code 4059) 163,– € | (4) Only in combination with width extension kit for drive wheels

Possible combinations					
	12"	16"	20"	22"	24"
4"	✓	✓	✓	✓	✓
5"	✓	⚠ (4)	✓	✓	✓
6"	✓	✓	✓	✓	✓
7"	✓	✓	✓	✓	✓
8"	⚠ (4)	✓	⚠ (4)	✓	✓

Castor wheels						
		4"	5"	6"	7"	8"
Solid rubber	Grey					
	Black					
Pneumatic	Grey	—	—			
	Black	—	—			

Configuration				
Mounting of the parking brake	Colour of the back	Brake handle locking	Tilt-in-space	Seat plate
Standard	Standard	Standard	Standard	Standard
 Jet black Code 4001	 Graphite black Code 4003	Automated	0° up to 40°	Standard
	optional	optional	optional	optional
	Frame colour Extra charge 37, – € Code 4004	Manual	-5° up to 35°	extended


Back	
Fastening system for the back, fixed bracket Code 1016485 	Fastening system for the back, adjustable bracket Code 1017928 
Not to be combined with back element!	For perfect guidance of the back Not to be combined with back element!
Set 259, – €	Set 292, – €

Arm rests

Arm rests, standard Code 1017771

Toothed segments make them adjustable in height, width & angle


(a) Pipe length	(b) Distance between the arm rests
23 cm	27.5 - 30.5 cm
28 cm	32.5 - 35.5 cm
33 cm	37.5 - 40.5 cm



Arm rests, comfort Code 1017437

Clamping system makes them adjustable in height, width & angle
Backwards foldable by 95°

(a) Pipe length	(b) Distance between the arm rests
29 cm	27 - 30 cm
34 cm	35 - 38 cm
39 cm	40 - 43 cm



Extra charge

Please select one

313, – €

Extra charge


Please select one

460, – €

Back

Back adjustment via gas spring Code 362


For an easy adjustment of the back recline



Dynamic back adjustment Code 1021386

Dynamic back via gas spring
Adjustable from 0° to 25°
Fixable

350 N 700 N



One-hand operation of the seat tilting via double gas spring Code 1020332

Release handle releases double gas spring (Code 1000862)

Only available for seat tilt adjustment via double gas spring

Set

110, – €

Set (customisation)

449, – €

Set

58, – €

Extension kit for drive wheels

Distance between drive wheels extends by 3.5 cm

**Total width extends by 3.5 cm.
Available for 20" to 24" wheels.**


Code	
1018137	No wheel guards
1017989	Wheel guards incl.

Set

380, – €

Extension kit for castor wheels

Distance between castor wheels extends by 6 cm.



horizontal
Seat height remains the same.

diagonal
Seat height increases.

vertical
Seat height decreases.

Code	
1016879	Diagonal version ¹
1017876	Horizontal version


Not to be combined with steering device, push aid and castor wheel stop.

Set

182, – €

Wheel base extension Code 1021179

Extended by 6 to 11 cm



Not to be combined with scala-/viamobil, 12/16" wheels, tipping bar, tipping bar for vent tray or the extension kit for drive wheels!

Set

396, – €


¹ Bitte beachten Sie die entsprechende Sitzhöhenveränderung nach unten oder oben.

Steering device and push aid incl. wheel chock Code 1017216-1

Adjustable in depth

Not to be combined with any e-drives (except scalamobil); extension kit for castor wheels or castor wheel stop.


Frame	Max. load
Standard	65 kg
Closed	120 kg



Set (customisation)

595, – €

Mudguard for steering device and push aid Code 1017656



Set (customisation)

75, – €

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions


Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Seat shell adapter

Trapezoidal adapter, complete⁽¹⁾


For size	Code	a	b
Mini-0	1020031	20 cm	21 cm

For size	Code	c	d
1-2	1008603	24 cm	25 cm
3-6	1008589	30 cm	28 cm



Trapezoidal adapter, lower part

For size	Code	a	b
Mini-0	1016878	20 cm	21 cm
1-2	1011358	24 cm	25 cm
3-6	1011356	30 cm	28 cm



Set

392, – €

Extra charge


206, – €

⁽¹⁾ Sizes Mini and 0 include pin instead of lever.

Safety

Tipping bar

Code 1003725




Left
Right

83, – €
83, – €

Anti-tip

Code 1016245




Left
Right

144, – €
144, – €

Castor wheel stop

Code 337

4"	5"	6"	7"	8"
—	—	—	✓	✓




Not to be combined with steering device and push aid and extension kit for castor wheels!

Pair

205, – €

Wheel guard

Code 360



12"	16"	20"	22"	24"
—	✓	✓	✓	✓


Pair

222, – €

Spoke guards, transparent

	Code
20"	1013997
22"	1014001
24"	1014006

12"	16"	20"	22"	24"
—	—	✓	✓	✓




Pair

201, – €

Parking brake/knee lever brake at the drive wheel

Code 1016486




Pair

163, – €

Parking brake with extension handle

Code 1011637

Brake handle extended by 5.5 cm



Pair

54, – €

Restraint system

Note: Available at Rehatec only!

Code 299-1

For a safe transport in a motor vehicle when the **patient** is sitting in the mobility base

Lashing rings incl. a pelvic restraint belt adjustable in length (590 / 1225 mm)

In general, a restraint system is not available for customisations! Whether a system is feasible or not can only be decided in each individual case!

Available at Rehatec only!

Set (customisation)

509, – €

Lashing rings for transport in motor vehicles

Code 1017933-1

For a safe transport in a motor vehicle when the **patient** is not sitting in the mobility base

4 lashing rings (2 x in the front / 2 x in the back) without pelvic restraint belt

Set (customisation) 341, – €

Installation of the restraint system at REHATEC®

Code 4005

Not eligible for discount!

79, – €

In case you do not want Rehatec to install your restraint system, please consider that you have to dismount some parts for the installation and mount them again.



Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Swing-up foot supports, standard


Swing-up parted foot rests, standard

Code 1019503

Adjustable in width and depth
Swing-away, removable and (mechanical) swing-up foot rests
Foot rest mounting incl.

Only optional height adjustment for the foot rest enables the adjustment of the height of physiological pivot point.

Available for Galileo size 2 and bigger!




a (leg length)	b (knee angle)	c (pivot point - seat plate distance)
36 – 58 cm	85°	11 cm

Foot rests, plastic

Code 1019439

Parted swing-up foot rest, angle-adjustable by 360°

For size	a	b
2	16 cm	14 cm
3-4	16 cm	16 cm
5-6	16 cm	18.5 cm



Base price

499, – €


Accessories for swing-up foot supports, standard

Foot rests, aluminium

Code 1018565

Parted swing-up foot rest, angle-adjustable by 360°

For size	a	b
2	16 cm	13.5 cm
3	16 cm	15 cm
4	24 cm	16.5 cm
5-6	24 cm	18 cm




Extra charge

170, – €

Foot rest height adjustment

Code 1017760

To adjust the physiological pivot point



Extra charge


105, – €

Swing-away calf support

Code 1019467

Vertically adjustable, adapts to the user's calf

For size	a	b
2-3	15 cm	12 cm
4-6	21 cm	15 cm




Extra charge

141, – €

Heel loop

Code 1019442

Mounted on plastic foot rests.
Enclosed when you order aluminium foot rests.



Extra charge

69, – €

Swing-up foot supports, special

Swing-up parted foot rests, special


Code 1018558

Adjustable in width, depth and height (foot rest height adjustment)

Swing-away, removable and swing-up (via gas spring)

Foot rest mounting incl.

Adjustable physiological pivot point




Available for Galileo size 2 and bigger! Intended for spastic users!

a (Leg length)	b (Knee angle)	c (pivot point - seat plate distance)
36 – 58 cm	80°	15.5 – 25.5 cm

Foot rests, plastic

Code 1019439

Parted swing-up foot rest, angle-adjustable by 360°




For size	a	b
2	16 cm	14 cm
3-4	16 cm	16 cm
5-6	16 cm	18.5 cm

Foot rests, aluminium

Code 1018565

Parted swing-up foot rest, angle-adjustable by 360°



For size	a	b
2	16 cm	13.5 cm
3	16 cm	15 cm
4	24 cm	16.5 cm
5-6	24 cm	18 cm


Plastic

Aluminium⁽¹⁾

Foot rest height adjustment

Code 1017760

To adjust the physiological pivot point




Swing-away calf support

Code 1019467

Vertically adjustable, adapts to the user's calf

For size	a	b
2-3	15 cm	12 cm
4-6	21 cm	15 cm



Base price (customisation)


891, – €

Accessories for swing-up foot supports, special

Heel loop

Code 1019442

Mounted on plastic foot rests.
Enclosed when you order aluminium foot rests.



Extra charge

69, – €

⁽¹⁾ In case you do not select anything, we always provide you with this option.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions


Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Leg positioning

Light-weight footplate

Fixed knee angle with footplate mounting

Aluminium knee angle and footplate



Available for Galileo size 2 and bigger!


19 cm deep (Code 1016648)

240, – €

Footplate

Adjustable knee angle, fixed foot angle with footplate mounting

Steel knee angle, aluminium footplate



Footplate only available for size 1 and bigger! Depth of 24 cm only available for size 2 and bigger!


16 cm deep, for size 1 and bigger (Code 213)
24 cm deep, for size 2 and bigger (Code 213.24)

301, – €
348, – €

Footplate, parted

Adjustable knee angle, fixed foot angle with footplate mounting

Steel knee angle, aluminium footplate




Footplate only available for size 1 and bigger! Depth of 24 cm only available for size 2 and bigger!

16 cm deep, for size 1 and bigger (Code 21301)
24 cm deep, for size 2 and bigger (Code 21301.24)

371, – €
419, – €

Footplate mounting for footplates of other companies




Code	Für size	
1007282	Mini – 0	15 × 15 mm
1011252	1 – 6	20 × 20 mm incl. 15 × 15 mm square tube

Set

110, – €

Adjustable foot angle

Code 214




Not to be combined with folding mechanism and light-weight footplate.

Extra charge

108, – €

Folding mechanism -22° up to 90°

Code 1017724




Not to be combined with adjustable foot angle and light-weight footplate.

Extra charge

169, – €

Heel loop

Code 217



Not to be combined with light-weight footplate.


Extra charge

108, – €

Calf support

Nicht für Leichtbau-Fußbank möglich.

Code	For size	a	b
1010801		11 cm	28 cm
1010802		11 cm	31 cm
1010803	1 – 6	16 cm	33 cm
1010804		16 cm	36 cm
1010805		16 cm	39 cm




Extra charge

185, – €

Calf supports, parted

Not to be combined with light-weight footplate.

Code	For size	a	b	c
1010835		11 cm	12.5 cm	26.5 cm
1010837	1 – 6	11 cm	15 cm	31 cm
1010314		16 cm	18 cm	37.5 cm



Pair

229, – €

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Seating system


Seat element without connecting hinge

Code 1017923

Colour: graphite black, matt (RAL 9011m)

Not to be combined with trapezoidal adapter!

Size	a (depth)	b (width)
Mini	34–39 cm	25–30 cm
0	34–38 cm	28–30 cm
1	34–38 cm	31–36 cm
2	40–47 cm	34–39 cm
3	40–47 cm	37–43 cm
4	45–53 cm	40–46 cm
5	45–53 cm	43–50 cm




Back element without connecting hinge

Code 1017924

Colour: graphite black, matt (RAL 9011m)

For size	a (back height)		b (width)	
Mini	35 cm	40 cm		26 cm
0	35 cm	40 cm	45 cm	29 cm
1	40 cm	45 cm	50 cm	32 cm
2	45 cm	50 cm	55 cm	35 cm
3	45 cm	50 cm	55 cm	38 cm
4	50 cm	55 cm	60 cm	41 cm
5	50 cm	55 cm	60 cm	44 cm



Not to be combined with back fastening systems for seat shells!

Extra charge

212, – €


Extra charge

348, – €

Connecting hinge

Code 1017925


To stabilise the seat element and back element, abducted.
To be combined with seat element and back element.



Pair

90, – €

Seat element extension towards the back



Size	Code
Mini–0	1018300
1–2I	1018297
3–4	1018301
5	1018302

Extra charge


97, – €

Seating system

Universal bracket to mount the headrest at the back

Code 1009420

In case you do not order any back element, we enclose this bracket.




Extra charge

44, – €

Headrest, shell-shaped

Code 60013

Size	a	b
0	13 cm	22 cm
1	16 cm	28 cm
2	20 cm	33 cm
3	23 cm	38 cm



Extra charge

231, – €

Optional accessories



Galileo Mobility Base

REHATEC®

Optional accessories - vent tray

Vent tray

- Pull-out vent tray
- Height-adjustable
- Max. load of 15 kg
- Available for size 3 and bigger
- Graphite black, matt (RAL 9011m)



For size	Code	a	b	c
3	1022110-3	38.3 cm	29.5 cm	29.4 cm
4	1022110-4	41.3 cm	29.5 cm	29.4 cm
5	1022110-5	44.3 cm	35.5 cm	29.4 cm
6	1022110-6	47.3 cm	35.5 cm	29.4 cm

Not to be combined with:

- 12" drive wheels
- Scala/viamobil
- S-Max/C-Max; R20
- 0° wheel camber
- Standard anti-tip and tipping bar



CAUTION:

Depending on the loading height, the seat tilting is restricted accordingly!

Extra charge

708,- €

Tipping bar for vent tray





Left (1023286)
Right (1023281)

83,- €
83,- €

Anti-tip for vent tray

Code 1023295



You always need two anti-tips

Pair

288,- €

Notes

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99,, info@rehatec.com, www.rehatec.com

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.