

Cost estimate

Sender / billing address

Order

Address for dispatch

Purchaser

Date

Commission




Figure does not comply with the base model and its accessories | Size tolerance of $\pm 3\%$

Base model

- Welded frame
- Seat plane angle to 30°
- Manual back rest recline adjustment up to 50°, steplessly adjustable
- 0° camber
- Back can be folded down
- Castor wheels with aluminium castor forks and castor stems
- Drive wheels with drum brakes and hand brake lever
- Push bar

Reimbursement code Germany

push rims incl. **26.99.01.1064**
12" drive wheels incl. **26.99.01.1019**

This mobility base complies with ISO 7176-19, transporting users in motor vehicles (with wheelchair-tiedown and occupant-restraint system).

Weight and load capacity

Weight: min. 14 kg (depending on features and accessories)

Load capacity: 120 kg max. user weight incl. seat shell

Please consider:
Additional gas spring required if **total weight exceeds 90 kg!**

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com




Fig. Mika with straight frame

Size tolerance of $\pm 3\%$

Base model measurements

Size	(a) Frame length (4)	(c) Seat plate - back depth (1)		(f) Min. seat height (2)	(b) Total width (3)		
		Standard seat plate	Extended seat plate		Standard	Abduction	Abduction with long frame
0	67 cm	29,5 – 34,5 cm	39 – 44 cm	41 cm	59 cm	58,5 / 59 cm	59 / 63,5 cm
1	67 cm	29,5 – 34,5 cm	39 – 44 cm	41 cm	62,5 cm	62 / 64,5 cm	62 / 66,5 cm
2	74 cm	39 – 44 cm	44 – 49 cm	46 cm	65 cm	65 / 68,5 cm	65 / 70,5 cm
3	74 cm	39 – 44 cm	44 – 49 cm	46 cm	68 cm	68 / 69,5 cm	68,5 / 71 cm

(1) Vorderkante Sitzplatte bis zum Rückenrohr; in 2,5 cm Schritten verstellbar. Vergleich Sie die technischen Daten auf www.rehatec.com

(2) With 20" driving wheels. (3) With 20" driving wheels and 6" front tyres. (4) Straight Frame.

Size	(g) Seat plate - back height	Seat plate width	(d) Seat plate depth		(e) Knee angle extension from seat plate	Wheel base extension
			Standard	Extended		
0	55 – 65 cm	29,5 cm	29,5 cm	39 cm	bis 11 cm	bis 12,5 cm
1	55 – 65 cm	32,5 cm	29,5 cm	39 cm	bis 11 cm	bis 12,5 cm
2	55 – 65 cm	35,5 cm	39 cm	44 cm	bis 20 cm	bis 10 cm
3	55 – 65 cm	38,5 cm	39 cm	44 cm	bis 20 cm	bis 10 cm

Size	(h) Width between driving wheels		(i) Inner frame width			Back recline	Tilt-in-space
	Wheel guards incl.	No wheel guards	Abduction	Abduction with long frame	Straight		
0	43 cm	46 cm	41 cm	45 cm	32 cm	50°	30°
1	46 cm	49 cm	44 cm	48 cm	35 cm	50°	30°
2	49 cm	52 cm	51 cm	58 cm	38 cm	50°	30°
3	52 cm	55 cm	54 cm	61 cm	41 cm	50°	30°



Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.


Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Mika															
Mika, straight frame Size 0 (Code 1023900) Size 1 (Code 1023901) Size 2 (Code 1023902) Size 3 (Code 1023903) 	Abduction frame Code 307	Long Frame Extension of the frame to the rear incl. seat plate extension by 5 or 10 cm. <table><tr><th>Code</th><th>For Size</th><th>Length straight frame</th><th>Length abduction frame</th></tr><tr><td>304</td><td>0/1</td><td>74 cm</td><td>71 cm</td></tr><tr><td>306</td><td>2/3</td><td>84 cm</td><td>80 cm</td></tr></table>	Code	For Size	Length straight frame	Length abduction frame	304	0/1	74 cm	71 cm	306	2/3	84 cm	80 cm	Additional gas spring Code 316 Required if total weight (patient weight incl. seat shell) of 90 kg is exceeded 
Code	For Size	Length straight frame	Length abduction frame												
304	0/1	74 cm	71 cm												
306	2/3	84 cm	80 cm												
Base price 2.494, – €	Optional (Free of charge)	Extra charge 319, – €	Extra charge 636, – €												

Seat plate	
Seat plate extension Code 348 Sizes 0 and 1: Seat plate extended by 10 cm Sizes 2 and 3: Seat plate extended by 5 cm 	Part of long frame! Combination with scalamobil only available for long frame!
Extra charge	89, – €

Frame colours			
☐ Pure white (RAL 9010) ☐ Daffodil yellow (RAL 1007) ☐ Luminous yellow (RAL 1026) ☐ Pure orange (RAL 2004) ☐ Luminous orange (RAL 2005) ☐ Ruby red (RAL 3003) ☐ Pearl ruby red, matt (RAL 3032) ☐ Heather violet (RAL 4003)	☐ Claret violet (RAL 4004) ☐ Ultramarine blue (RAL 5002) ☐ Metallic traffic blue* ☐ Pearl night blue, matt (RAL 5026) ☐ Water blue (RAL 5021) ☐ Light green (RAL 6027) ☐ Yellow green (RAL 6018) ☐ Pearl green, matt (RAL 6035)	☐ Luminous green (RAL 6038) ☐ Anthracite grey, matt (RAL 7016m) ☐ Metallic silver* ☐ Metallic anthracite* ☐ Graphite black, matt (RAL 9011m) ☐ Glossy jet black (RAL 9005g)	* no RAL coloursn
This is only an overview of colours. Find all details at www.rehatec.com			

Brake handles		Dimensions		Total load (patient+seat shell)
Lock automatically (standard)	Need to be locked manually	Seat shell width cm	Seat shell depth cm	kg

Patient's muscle tone	Additional gas spring required if total weight exceeds 90 kg!
Stereotypic behaviour (e.g. permanent body rocking)*	* If there are stereotypic movements, please check whether the stander requires any special customisation.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.




Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Back, armrests and trapezoidal adapter REHATEC®





Mika Mobility Base



Drive wheels with drum brakes									
Caution! The total width extends by 4 cm when combined with mountain bike or Big Apple wheels!		Standard version 		Mountain bike Code 4062 Off-road tyres 		Big Apple Code 4069 Large tyres for increased control 		Marathon Code 4079 (22") Code 4076 (24") Thin tyres, shallow tyre tread 	
		Pair		Pair/Extra charge 341, – €		Pair/Extra charge 341, – €		Pair/Extra charge 79, – €	
		12"	20"	22"	24"	24"	24"	22"	24"
Solid rubber	Grey					—	—	—	—
	Black	—				—	—	—	—
Pneumatic	Grey					—	—	—	—
	Black								



Possible combinations				
	12"	20"	22"	24"
6"	✓	✓	✓	✓
7"	✓	✓	✓	✓
8"	—	—	✓	✓

Caster wheels				
		6"	7"	8" (2)
Solid rubber	Grey			
	Black			
Pneumatic	Grey			
	Black			

(2) Not combinable with 12" / 20" driving wheels

Backs					
Fastening system for the back, fixed bracket Code 375 		Fastening system for the back, adjustable bracket Code 375-W 		Push bar, adjustable in height and for angle Code 331 	
Set		Set		Extra charge	
259, – €		292, – €		73, – €	
				Back adjustable via gas spring Code 362 For an easy recline of the back 	
				Optional (Free of charge)	

Armrests					
Arm rests, standard Code 1017771 Toothed segments make them adjustable in height, width & angle 			Arm rests, comfort Code 1017437 Clamping system makes them adjustable in height, width & angle Backwards foldable by 95° 		
(a) Pipe length	(b) Space between the arm rests		(a) Pipe length	(b) Space between the arm rests	
23 cm	27,5 - 30,5 cm		29 cm	27 - 30 cm	
28 cm	32,5 - 35,5 cm		34 cm	35 - 38 cm	
33 cm	37,5 - 40,5 cm		39 cm	40 - 43 cm	
Extra charge		Please choose one		313, – €	
				Extra charge	
				Please choose one	
				460, – €	

Seat shell adapter				
Trapezoidal adapter, complete			Trapezoidal adapter, underframe	
				
A restraint system always requires a trapezoidal adapter! (3)				
Code	Size	a	b	
1008603	0/1	24 cm	25 cm	
1008589	2/3	30 cm	28 cm	
Code	Size	a	b	
1011358	0/1	24 cm	25 cm	
1011356	2/3	30 cm	28 cm	
Set	392, – €		Extra charge	
			206, – €	

(3) Ein etwaiger Transport in Kraftfahrzeugen ohne den Trapezadapter ist nicht zulässig!


Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.



Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.





Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Accessories for electric drives			
Bracket for scalamobil / viamobil Code 321 		Mounting of the scalamobil / viamobil bracket at Rehatec Code 4005 	
Not possible with Size 0!		Not eligible for discount!	
Set		Pair (customisation)	
318, – €		678, – €	

Safety			
Tipping bar Code 342 		Anti-tip Code 341 	
		Not available for scalamobil/viamobil! Please use code 341-A for scalamobil anti-tippers!	
Left		Left	
Right		Right	
83, – €		144, – €	
83, – €		144, – €	

Wheel guards Code 360 When used reduces „dimension d“ by approx. 3 cm! <table><tr><td>12"</td><td>20"</td><td>22"</td><td>24"</td></tr><tr><td>—</td><td>✓</td><td>✓</td><td>✓</td></tr></table>  Pair 266, – €	12"	20"	22"	24"	—	✓	✓	✓	Spoke guards, transparent <table><tr><td>For</td><td>Code</td></tr><tr><td>20"</td><td>1013997</td></tr><tr><td>22"</td><td>1014001</td></tr><tr><td>24"</td><td>1014006</td></tr></table> <table><tr><td>12"</td><td>20"</td><td>22"</td><td>24"</td></tr><tr><td>—</td><td>✓</td><td>✓</td><td>✓</td></tr></table>  Pair 201, – €	For	Code	20"	1013997	22"	1014001	24"	1014006	12"	20"	22"	24"	—	✓	✓	✓	Parking brake / knee lever brake at driving wheels Code 324  Pair 163, – €	Parking brake with extension handle Code 1011637 Brake handle extended by 5.5 cm  Pair 54, – €
12"	20"	22"	24"																								
—	✓	✓	✓																								
For	Code																										
20"	1013997																										
22"	1014001																										
24"	1014006																										
12"	20"	22"	24"																								
—	✓	✓	✓																								

Restraint system Code 399-1 For a safe transport of the wheelchair frame and patient in a motor vehicle Lashing rings incl. a pelvis restraint belt adjustable in length (590 / 1225 mm)		Installation of the restraint system at REHATEC® Code 4005 In general, a restraint system is not available for customisations! Whether a system is feasible or not can only be decided in each individual case!	
		Not eligible for discount!	
Set (customisation)		Set (customisation)	
509, – €		79, – €	

In case you do not want Rehatec to install your restraint system, please consider that you have to dismount some parts for the installation and mount them again.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.




By ordering our products, you confirm that you have read and accepted our General Terms and Conditions



Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com


Leg Positioning

Mika Mobility Base

REHATEC®

Foot supports			
Footplate Adjustable knee angle, foot angle fixed Steel knee angle, aluminium footplate Depth of 24 cm only available for Mika Size 2+3!		Footplate, parted Adjustable knee angle, foot angle fixed Steel knee angle, aluminium footplate Depth of 24 cm only available for Mika Size 2+3!	
Foot angle, adjustable Code 214 		Not available for folding mechanism.	
16 cm deep (Code 213) 301, – € 24 cm deep (Code 213.24) 348, – €		16 cm deep (Code 213) 371, – € 24 cm deep (Code 213.24) 419, – €	
			Extra charge 108, – €

Folding mechanism -22° to 90° Code 1017724 	Not available for adjustable foot angle.	Heel loop Code 217 	Available for footplate and footplate, parted
Extra charge 169, – €		Extra charge 108, – €	

Footplate mounting for footplates of other companies Code 353 20 x 20 mm square incl. inlay for 15 x 15 mm square tube 			

⁽¹⁾ with Abduction frame

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.