

Cost estimate

Sender / billing address

Order

Address for dispatch

Purchaser

Date

Commission




Figure does not comply with the base model and its accessories | Size tolerance of $\pm 3\%$

Base model

- Base frame with height adjustment via gas spring, diagonal direction
- Seat plane angle (-6° to 37°) adjustable via gas spring
- Push brace mounted on seat
- 4 lockable castors, 75 mm
- Seat plate for trapeze adapter / foreign adapter
- Footplate supports

Reimbursement code Germany

26.99.01.0033

Max. user weight

- Size 1: 65 kg
- Size 2: 75 kg

Outdoor high-low frame option

- Noah with outdoor high-low frame, height adjustment via gas spring, diagonal direction
- 12" pneumatic drive wheels, 6" solid rubber castor wheels
- Push brace mounted on frame
- Seat plane angle (-6° to 37°) adjustable via gas spring
- Push brace mounted on seat
- Drum brake carrier and quick-release axle
- Seat plate for trapeze adapter / foreign adapter
- Footplate with footplate mounting


Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com



Base model measurements

Size	(a) Seat width	(b) Seat depth	(c) Total height			(d) Total width	(e) Total length
			Gas spring	Electric	Hydraulic		
1	26,5 cm	26,5 cm	100 cm	101 cm	102,5 cm	55 cm	73,5 cm
2	30,5 cm	32,5 cm	98,5 cm	100,5 cm	101,5 cm	61 cm	76 cm
1 (Out)	26,5 cm	26,5 cm	109 cm	108 cm	—	63,5 cm	72,5 cm
2 (Out)	30,5 cm	32,5 cm	107,5 cm	106,5 cm	—	67,5 cm	82 cm

Size	(f) Seat height			(g) Seat plane angle	(h) Height Push brace mounted on frame	Total weight
	Gas spring	Electric	Hydraulic			
1	22,5 - 57 cm	30 - 58 cm	25,5 - 59,5 cm	-6° bis 37°	98 cm	65 kg
2	23 - 57 cm	30,5 - 59 cm	26 - 60 cm	-6° bis 37°	98 cm	75 kg
1 (Out)	32 - 66,5 cm	36,5 - 64,5 cm	—	-6° bis 37°	98 cm	65 kg
2 (Out)	32 - 66 cm	36,5 - 65 cm	—	-6° bis 37°	98 cm	75 kg

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.



By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Frame and Castors

Indoor frame Noah – Model 2020

REHATEC®




Noah Indoor frame		Options to be combined with standard frame																							
Base frame with height adjustment via gas spring Please select castors below.		Electric height adjustment incl. battery Please select castors below. Not available for hydraulic height adjustment! <table><tr><th>For Size</th><th>Code</th></tr><tr><td>1</td><td>1020845</td></tr><tr><td>2</td><td>1021051</td></tr></table>	For Size	Code	1	1020845	2	1021051	Hydraulische Höhenverstellung Please select castors below. Not available for outdoor frame! <table><tr><th>For Size</th><th>Code</th></tr><tr><td>1</td><td>1020846</td></tr><tr><td>2</td><td>1021052</td></tr></table>	For Size	Code	1	1020846	2	1021052	Outdoor frame(Out) Incl. 12" pneumatic driving wheels (drum brakes) and 6" solid rubber castors <table><tr><th>For Size</th><th>Gas spring</th><th>Electric</th></tr><tr><td>1</td><td>1020852</td><td>1020853</td></tr><tr><td>2</td><td>1021016</td><td>1021053</td></tr></table>	For Size	Gas spring	Electric	1	1020852	1020853	2	1021016	1021053
For Size	Code																								
1	1020845																								
2	1021051																								
For Size	Code																								
1	1020846																								
2	1021052																								
For Size	Gas spring	Electric																							
1	1020852	1020853																							
2	1021016	1021053																							
Size 1	1.340,- €	Surcharge	895,- €	Surcharge	510,- €	Surcharge	852,- €																		
Size 2	1.526,- €																								

Total weight (User + Seat shell)		Castors for standard frame						
	kg	Not suitable for outdoor frame!	Lockable castors , 75 mm Code 1005593		Lockable 100 mm castors Code 1022143		Lockable 125 mm castors Code 1014946	
								
					Caution: Seat height increases by 4.5 cm		Caution: Seat height increases by 7 cm	
Total height								
	cm							
Patient's muscle tone								
Stereotypical behaviour (e.g. oscillating one's body permanently)*		Noah Size		Set/inclusive		Set/Surcharge		96, – €
			Gas spring	Electr.	Hydr.	Every		Every
		1		—				
		2		—				

* Please consider any stereotypical behaviour to check whether the activity chair needs any specific customization

* Please consider any stereotypical behaviour to check whether the activity chair needs any specific customisation

Frame colours			
Pure white (RAL 9010) Daffodil yellow (RAL 1007) Luminous yellow (RAL 1026) Pure orange (RAL 2004) Luminous orange (RAL 2005) Ruby red (RAL 3003) Pearl ruby red, matt (RAL 3032) Heather violet (RAL 4003)	Claret violet (RAL 4004) Ultramarine blue (RAL 5002) Metallic traffic blue* Pearl night blue, matt (RAL 5026) Water blue (RAL 5021) Light green (RAL 6027) Yellow green (RAL 6018) Pearl green, matt (RAL 6035)	Luminous green (RAL 6038) Anthracite grey, matt (RAL 7016m) Metallic silver* Metallic anthracite* Graphite black, matt (RAL 9011m) Glossy jet black (RAL 9005g)	* no RAL colours
This is only an overview of colours. Find all details at www.rehatec.com			

Frame																														
10 cm wheel base extension in frame colour  <table><tr><th>For Size</th><th>Code</th></tr><tr><td>1</td><td>1021600</td></tr><tr><td>2</td><td>1021603</td></tr></table>		For Size	Code	1	1021600	2	1021603	Wall and furniture bumpers The total width extends by 4 cm!  <table><tr><th>Castors</th><th>Code</th></tr><tr><td>75 mm</td><td>1018607</td></tr><tr><td>100 mm</td><td>1018783</td></tr><tr><td>125 mm</td><td>1018698</td></tr></table>		Castors	Code	75 mm	1018607	100 mm	1018783	125 mm	1018698	Anti-tip Code 1021592  Not available for hydraulic height adjustment!		Additional gas spring for height adjustment via gas spring <table><tr><th>Code</th><th>Recommended for</th><th>Gas spring</th></tr><tr><td>1020693</td><td>30 - 40 kg</td><td>2 × 200 N</td></tr><tr><td>1020748</td><td>40 - 50 kg</td><td>2 × 400 N</td></tr></table> We recommend a hydraulic or electric height adjustment for users exceeding 50 kg.		Code	Recommended for	Gas spring	1020693	30 - 40 kg	2 × 200 N	1020748	40 - 50 kg	2 × 400 N
For Size	Code																													
1	1021600																													
2	1021603																													
Castors	Code																													
75 mm	1018607																													
100 mm	1018783																													
125 mm	1018698																													
Code	Recommended for	Gas spring																												
1020693	30 - 40 kg	2 × 200 N																												
1020748	40 - 50 kg	2 × 400 N																												
Pair 171, – €		Surcharge 111, – €		Each 256, – €		2 × 200 N 2 × 400 N 121, – € 121, – €																								

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com


Adapter, push brace and back

Indoor frame Noah – Model 2020

Adapter

Trapezoidal adapter, lower part

Color: **Black**




For Size	Code	a	b
1	1011358	24 cm	25 cm
2	1011356	30 cm	28 cm

Each

206, – €

Trapezoidal adapter, complete

Color: **Black**



For Size	Code	a	b
1	1008603	24 cm	25 cm
2	1008589	30 cm	28 cm

Set

392, – €


Push brace

Push brace mounted on seat, adjustable in height and for angle

Angle-adjustable push brace clicks into place,
Color: **eloxal silver**

Not combinable with back attachment for seat shell!

For Size	a
1	43,5 cm
2	41,5 cm




Standard

Push brace mounted on frame, adjustable for angle Code 1020918

Angle-adjustable push brace clicks into place
Colour: **push brace ineloxal silver, extension tube in black**

Included in outdoor frame



Each

331, – €

Back


Back with push brace mounted on frame, adjustable for angle

Angle-adjustable push brace clicks into place

Colour: **push brace ineloxal silver, extension tube in black**

Not available for outdoor frame!

For Size	Code	a
1	1021753	51,5 cm
2	1021822	49,5 cm



Each


530, – €

Back without push brace mounted on frame, adjustable for angle

Angle-adjustable push brace clicks into place

Colour: **push brace ineloxal silver, extension tube in black**

For Size	Code	a
1	1021809	53,5 cm
2	1021823	51,5 cm




Each

233, – €

Back fixture with split, solid angle

Only possible in combination with a back!

For Size	Code
1	1021800
2	1016393




Set

259, – €

Back fixture with split, adjustable angle

Only possible in combination with a back!

For Size	Code
1	1022022
2	1022023



Set

292, – €

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Armrests, Trays and Footplates


Indoor frame Noah – Model 2020

Armrests

Armrests Standard Code 1017771

Adjustable for height, width and angle **via tooth segments**

(a) Tube length	(b) Space between armrests
23 cm	27,5 - 30,5 cm
28 cm	32,5 - 35,5 cm
33 cm	37,5 - 40,5 cm




Only possible in combination with back!

Armrests Comfort Code 1017437

Adjustable for height, width and angle and **via a clamping mechanism, can be folded backwards to 95°**

(a) Tube length	(b) Space between armrests
29 cm	27 - 30 cm
34 cm	35 - 38 cm
39 cm	40 - 43 cm



Only possible in combination with back!

Each

313, – €

Each


460, – €

Removable tray

Wooden tray, removable, safety rail and holders, cutout

Each holder is adjustable in width, tabletop **without holes**.


Size	Code	a (depth)	b (width)	c (depth of cutout)	d (width of cutout)
0	1016774	40 cm	45 cm	14 cm	30 cm
1	1016775	39 cm	50 cm	13 cm	33 cm
2	1016776	45 cm	60 cm	15 cm	35 cm



Only possible in combination with Armrests!

Wooden tray, removable, safety rail and holders, without cutout

Size	Code	a (depth)	b (width)
0	1016774-S	40 cm	45 cm
1	1016775-S	39 cm	50 cm
2	1016776-S	45 cm	60 cm



Only possible in combination with Armrests!

Each

250, – €

Each


250, – €

Footplates

Footplate

Adjustable knee angle, foot angle **fixed**

For Size	Code
1	1010308
2	1009600




Which material would you like to have? If you do not choose any, we will provide you with a metal footplate.

Footplate, parted

Adjustable knee angle, foot angle **fixed**


For Size	Code
1	1010309
2	1010700



Footplate, parted with multi-adjustable foot supports

Adjustable knee angle, foot angle **fixed**

For Size	Code
1	1010310
2	1010703



Not available for adjustable foot angle, folding mechanism and heel loop!

Wood
Metal / standard

285, – €
285, – €

Wood / Pair
Metal / Pair


385, – €
385, – €

Wood / Pair

460, – €


Footplates

Foot angle, adjustable Code 214




Not available for adjustable for folding mechanism and footplate, parted with multi-adjustable foot supports!

Folding mechanism -22° to 90° Code 1017724



Not available for for foot angle, adjustable and footplate, parted with multi-adjustable foot supports!

Heel loop Code 217



Not available for parted wooden footplates!

Surcharge

108, – €

Surcharge

169, – €

Each

108, – €

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Footplate Accessories


Indoor frame Noah – Model 2020

REHATEC®

Footplate Accessories

Full padding for footplate, 2 cm thick

Wooden footplate:
Skai beige
Metal footplate:
Skai black




For Size	Code
1	1017849
2	1017855

Each

110, – €

Full padding for parted footplate, 2 cm thick

Wooden footplate:
Skai beige
Metal footplate:
Skai black




For Size	Code
1	1017920
2	1017921

Pair

143, – €

Sandals incl. foot straps

Only available for parted wooden footplate, pre-assembly possible.




Size	Code	a	b
1	10052-0	11 cm	8 cm
2	10052-1	14 cm	11 cm

Pair

289, – €

Calf support

In cushion colour




For Size	Code	a	b
1	1010280	11 cm	30 cm
2	1010705	13 cm	33 cm

Each

185, – €

Calf support, parted

In Skai black



For Size	Code	a	b	c
1	1010837	11 cm	15 cm	31 cm
2	1010314	16 cm	18 cm	37,5 cm

Pair

229, – €

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com