



Heidelberg Upright Stander Speedy

suitable from about 90 cm to about 180 cm

REHATEC®



Size 0



Size 3

Cost estimate

Order

Address / Billing address

Delivery address

Purchaser

Date

Commission

Figure does not comply with base model and its accessories | Dimensional tolerances $\pm 3\%$

Base model Size 0 - 3

- Base frame
- Centre column
- Crotch pad
- Support wheels
- Footplate, fixed (size 2 and 3)
- Footplate, height-adjustable (size 0 and 1)
- Sandals, removable
- Speedy size 0 = size 0; Speedy size 1, 2 and 3 = size 1
- Drive wheels ⁽¹⁾
- Knee cups
- Pelvic supports
- Standard chest support
- Recline adjustment
- 7° camber

Max. user weight:

- Size 0 - max. user weight: 40 kg
- Size 1 - max. user weight: 50 kg
- Size 2 - max. user weight: 60 kg
- Size 3 - max. user weight: 75 kg

Body Size:

- Size 0 - max. user height: ca. 90 - 105 cm
- Size 1 - max. user height: ca. 105 - 140 cm
- Size 2 - max. user height: ca. 135 - 160 cm
- Size 3 - max. user height: ca. 150 - 180 cm

⁽¹⁾ Please note that some sizes might be subject to an extra charge.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited. Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.



By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

User measurements

Heidelberg Upright Stander Speedy

REHATEC®



(1) CAUTION:

For technical reasons, the distance between the tray height (a) and the height of the pelvic middle (c) amounts to at least 20 cm !

Patient's muscle tone

Stereotypical movements (e.g. permanent rocking)*


*If there are stereotypic movements, please check whether the stander requires any special customisation.

Dimensional tolerances $\pm 3\%$

Base model/user measurements				Please complete!					
	Tray height (a)	Knee height (b)	Height of pelvic middle (c)	Knee width (e)	Pelvic width (f)	Chest width (g)	Crotch pad height (h)	User weight	User height
Size 0	54 - 70 cm	14 - 40 cm	23 - 46 cm	6 - 13 cm	15 - 25 cm	–	23 - 46 cm	40 kg	appr. 90 cm to 105 cm
Size 1	60 - 90 cm	25 - 45 cm	39 - 70 cm	6 - 13 cm	15 - 25 cm	18 - 28 cm	39 - 70 cm	50 kg	appr. 105 cm to 140 cm
Size 2	79 - 108 cm	36 - 56 cm	57 - 85 cm	6 - 13 cm	26 - 40 cm	19 - 33 cm	57 - 85 cm	60 kg	appr. 135 cm to 160 cm
Size 3	89 - 118 cm	36 - 56 cm	67 - 95 cm	6 - 13 cm	29 - 45 cm	22 - 37 cm	67 - 95 cm	75 kg	appr. 150 cm to 180 cm
User	cm	cm	cm	cm	cm	cm	cm	kg	cm

(2) incl. crotch pad | (3) Model 16026

Dimensions					
	Wheel size	Grip width User (i)	Width between the drive wheels (J)	Grip height User (K)	Total width (L)
Size 0	22"	44.0 cm	37.0 cm	62.0 cm	58.0 cm
	24"	42.0 cm	35.0 cm	67.0 cm	60.0 cm
Size 1	28"	54.5 cm	41.5 cm	60.5 cm	74.0 cm
	30"	53.0 cm	40.0 cm	67.5 cm	75.0 cm
	32"	52.5 cm	39.5 cm	73.0 cm	75.5 cm
Size 2	32"	61.5 cm	48.5 cm	70.5 cm	80.0 cm
	34"	60.5 cm	48.0 cm	76.0 cm	80.5 cm
	36"	60.0 cm	47.5 cm	80.5 cm	81.0 cm
	38"	58.0 cm	45.5 cm	86.0 cm	81.5 cm
Size 3	40"	57.0 cm	44.5 cm	91.5 cm	83.0 cm
	32"	66.5 cm	53.5 cm	75.5 cm	85.0 cm
	34"	65.5 cm	53.0 cm	81.0 cm	85.5 cm
	36"	65.0 cm	52.5 cm	85.5 cm	86.0 cm
	38"	63.0 cm	40.5 cm	91.0 cm	86.5 cm
	40"	62.0 cm	49.5 cm	96.5 cm	88.0 cm







Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.


By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Base model			
Upright stander Speedy size 0 Code 1020477	Upright stander Speedy size 1 Code 1003693	Upright stander Speedy size 2 Code 1003695	Upright stander Speedy size 3 Code 1003694
			
Size 0	Size 1	Size 2	Size 3
3.718,-€	4.119,-€	4.385,-€	5.053,-€

Frame colours and covers			
Frame colours:			
☐ Pure white (RAL 9010) ☐ Daffodil yellow (RAL 1007) ☐ Luminous yellow (RAL 1026) ☐ Pure orange (RAL 2004) ☐ Luminous orange (RAL 2005) ☐ Ruby red (RAL 3003) ☐ Pearl ruby red, matt (RAL 3032) ☐ Heather violet (RAL 4003) ☐ Claret violet (RAL 4004)	☐ Ultramarine blue (RAL 5002) ☐ Metallic traffic blue* ☐ Pearl night blue, matt (RAL 5026) ☐ Water blue (RAL 5021) ☐ Light green (RAL 6027) ☐ Yellow green (RAL 6018) ☐ Pearl green, matt (RAL 6035) ☐ Luminous green (RAL 6038) ☐ Anthracite grey, matt (RAL 7016m) ☐ Metallic silver*	☐ Metallic anthracite* ☐ Graphite black, matt (RAL 9011m) ☐ Glossy jet black (RAL 9005g)	*no RAL colours Covers ☐ Light grey artificial leather (N20057) ☐ Anthracite artificial leather (N20058) Other colours of artificial leather are available on request subject to an extra charge of 215,- €.
This is only an overview of colours. Find all details at www.rehatec.com			

Crotch pad	
Crotch pad cannot be combined with swivel arm frame!	
for size	Pelvic width
0	15 - 25 cm
1	15 - 25 cm
2	26 - 40 cm
3	29 - 45 cm
Standard	

Pelvis									
Swivel arm frame Code 16010	Not available for size 0								
With split pelvic supports									
<table> <tr> <th>for size</th><th>Pelvic width</th></tr> <tr> <td>1</td><td>15 - 24 cm</td></tr> <tr> <td>2</td><td>19 - 29 cm</td></tr> <tr> <td>3</td><td>19 - 31 cm</td></tr> </table>	for size	Pelvic width	1	15 - 24 cm	2	19 - 29 cm	3	19 - 31 cm	
for size	Pelvic width								
1	15 - 24 cm								
2	19 - 29 cm								
3	19 - 31 cm								
Extra charge	595,-€								

Tray			
Wooden tray Code 16002	Grab rail Code 16002-1 for wooden tray	Tray made of acrylic glass Code 16001	Grab rail Code 16001-1 for tray made of acrylic glass
			
Extra charge	Set	Extra charge	Set
413,-€	200,-€	486,-€	200,-€

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions


Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Knee supports

Contoured knee cups


Code 16033

8 cm
11.5 cm
13 cm




Knee cups adjustable for height, width and depth

Code 16022



Individually adjustable knee supports

Code 16019



Only available for size 2 + 3!

Pair/Extra charge

120,-€

Pair/Extra charge

208,-€

Pair/Extra charge


208,-€

Chest supports

Chest support

Size	Code
0	1002268
1	1003622
2	1003623
3	1020576

Size	a	b	g	d
0	13 cm	11 cm	14.5 cm	9 cm
1	15 cm	11 cm	18.5 cm	9 cm
2	15 cm	11 cm	21.5 cm	9 cm
3	17 cm	12 cm	28 cm	11 cm




Chest support with lateral supports, height adjustable

Code 16026

Not available for size 0

For size	Chest support (W×H)	Lateral support (W×H)	Chest width
1	24 × 27 cm	12 × 17 cm	18 – 28 cm
2	24 × 32 cm	13 × 19 cm	19 – 33 cm
3	30 × 37 cm	14 × 20 cm	22 – 37 cm




Standard

Extra charge

387,-€

Sternum chest support, adjustable lateral supports included



Size	g	b	c	d	e	Code
Mini	16 – 25 cm	15 cm	19,5 cm	12 cm	12 cm	1021966
0	20 – 28 cm	20 cm	20,5 cm	15.5 cm	12 cm	1021967
1	24 – 32 cm	22 cm	23 cm	17.5 cm	15 cm	1021951
2	29 – 38 cm	28 cm	24 cm	17.5 cm	15 cm	1021942

Extra charge

467,-€

Backrest


Backrest

Code 16025



Backrest, angle adjustable

Code 16025-1 Speedy



Extra charge


234,-€

Extra charge

413,-€

Sandals

Sandals, screw-mounted




Size	a	b	c	Code
0*	9.5 cm	10.5 cm	5 cm	1016805
1	10.5 cm	13.5 cm	7 cm	1014407

Pair/Extra charge

67,-€

Straps

Code 16006



Recommended for screw-mounted sandals

Pair

57,-€

* Size 0 sandals only available for Speedy Size 0!

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Drive wheels & Spokeguard

Heidelberg Upright Stander Speedy

REHATEC®

Drive wheels			
Drive wheels (pair), solid rubber, grey for size 0: 22" (55 cm) - Code 16165-22 (optional) 24" (60 cm) - Code 16165-24 (optional)	Drive wheels (pair), solid rubber, grey for size 1: 28" (68 cm) - Code 16165-28 (standard), pneumatic, black 30" (74.5 cm) - Code 16165-30 (extra charge 247,- €) 32" (80 cm) - Code 16165-32 (extra charge 247,- €)	Drive wheels (pair), solid rubber, grey for size 2 and 3: 32" (80 cm) - Code 16165-32 (standard) 34" (85 cm) - Code 16165-34 (extra charge 479,- €) 36" (90 cm) - Code 16165-36 (extra charge 615,- €) 38" (95.5 cm) - Code 16165-38 (extra charge 615,- €) 40" (100.5 cm) - Code 16165-40 (extra charge 822,- €)	Recommended drive wheels according to user height 22"/24": max. 1.00 m user height 28": ~ 1.20 m user height 30": ~ 1.30 m user height 32": ~ 1.40 m user height 34": ~ 1.50 m user height 36": ~ 1.60 m user height 38": ~ 1.70 m user height 40": ~ 1.80 m user height

Spokeguard			
Spokeguard (for drive wheels size 0) 22" - Code 16065-22 24" - Code 16065-24	Spokeguard (for drive wheels size 1) 28" - Code 1003388 30" - Code 1003389 32" - Code 1003390	Spokeguard (for drive wheels size 2 and 3) 32" - Code 1003390 34" - Code 1003391 36" - Code 1003392 38" - Code 1003393	Spokeguard (for drive wheels size 2 and 3) 40" - Code 1003394
Pair 215,-€	Pair 28" and 30" 239,-€ Pair 32" 349,-€	Pair 349,-€	Pair 424,-€

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com