

# Upright and Supine Stander Lasse Mini

Model 2020

suitable from about 65 cm

REHATEC®

## Cost estimate

Sender / billing address

## Order


Address for dispatch

Purchaser

Date

Commission

Lasse  
Standard



Lasse with height  
adjustment




Figure does not comply with base model and its accessories

### Base model Lasse standard

- Frame with 75 mm castors
- Recline adjustment via gas spring with an angle range from 0° - 85° (on request up to 90°)
- Split footplates
- Leg control pads
- Backrest
- Pelvic support board
- Butterfly harness
- Mounting system offering a rearward horizontal depth for headrests with straight attachment bracket

### Base model Lasse with height adjustment

- Frame with 75 mm castors
- Height adjustment via gas spring
- Recline adjustment via gas spring with an angle range from 0° - 85° (on request up to 90°)
- Split footplates
- Leg control pads
- Backrest
- Pelvic support board
- Butterfly harness
- Mounting system offering a rearward horizontal depth for headrests with straight attachment bracket

### Max. user weight

for size Mini: 30 kg

### Max. user weight

for size Mini: 30 kg

Additional technical details available at [www.rehatec.com](http://www.rehatec.com) -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see [www.rehatec.com](http://www.rehatec.com).

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, [info@rehatec.com](mailto:info@rehatec.com), [www.rehatec.com](http://www.rehatec.com)




Figure does not comply with base model | Size tolerances  $\pm 3\%$

In case of missing specifications, we apply standard measures!  
When measurements deviate from the sizes specified for this stander (compare to table below), we customise the stander at your expense.

## Patient's muscle tone

**Stereotypic movements**  
(e.g. permanent body rocking)\*

\* If there are stereotypic movements, please check whether the stander requires any special customisation.

## Base model/user measurements

Please complete!

	Tray height (a)	Knee height (b)	Pelvic middle (c)	Shoulder height (d)	Knee width (e)	Pelvic width (f)
Standard size Mini	35 – 60 cm	15 – 30 cm	22 – 40 cm	60 – 80 cm	5 – 8 cm	12 – 20 cm
Height adjustable size Mini	35 – 60 cm	15 – 30 cm	22 – 40 cm	60 – 80 cm	5 – 8 cm	12 – 20 cm
	cm	cm	cm	cm	cm	cm

	Chest width (g)	User height (h)	User weight	Transfer height	Clear space height <sup>(n)</sup>
Standard size Mini	12 – 20 cm	ca. 65 – 95 cm	max. 30 kg	73 cm	10 cm
Height adjustable size Mini	12 – 20 cm	ca. 65 – 95 cm	max. 30 kg	60.5 – 81.5 cm	10 cm
	cm	cm	kg		

<sup>(n)</sup> incl. 75 mm castors

Additional technical details available at [www.rehatec.com](http://www.rehatec.com) -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see [www.rehatec.com](http://www.rehatec.com).

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, [info@rehatec.com](mailto:info@rehatec.com), [www.rehatec.com](http://www.rehatec.com)

# Model and Colours


Heidelberg upright and supine stander Lasse Size Mini – Model 2020

REHATEC®

**Model**

**Heidelberg upright and supine stander Lasse Mini**  
Code 1018442


Max. user weight: 30kg



**Base price** **2.300,- €**


**Belts**

**Butterfly harness**  
Code 10046



**Standard**

**PELVI.LOC pelvis belt**  
Code 10059




Size	Pelvic width
XXXS	8 – 16 cm
XXS	12 – 16 cm
XS	16 – 24 cm

**Extra charge** **Please choose!** **324,- €**

**Height adjustment**

**Frame for height adjustment via gas spring**  
Code 1022803

Now always available with degree indicator!




**NEW**

**Extra charge** **551,- €**

**Electric height adjustment**























**Electric height adjustment, battery included**  
Code 1022806



Only in combination with frame for height adjustment!

**Extra charge** **1.295,- €**

**Frame colours**

 Pure white (RAL 9010)	 Claret violet (RAL 4004)	 Luminous green (RAL 6038)
 Daffodil yellow (RAL 1007)	 Ultramarine blue (RAL 5002)	 Anthracite grey, matt (RAL 7016m)
 Luminous orange (RAL 1026)	 Metallic traffic blue*	 Metallic silver*
 Pure orange (RAL 2004)	 Pearl night blue, matt (RAL 5026)	 Metallic anthracite*
 Luminous orange (RAL 2005)	 Water blue (RAL 5021)	 Graphite black, matt (RAL 9011m)
 Ruby red (RAL 3003)	 Light green (RAL 6027)	 Glossy jet black (RAL 9005g)
 Pearl ruby red, matt (RAL 3032)	 Yellow green (RAL 6018)	
 Heather violet (RAL 4003)	 Pearl green, matt (RAL 6035)	

\*no RAL colours

**This is only an overview of colours. Find all details at [www.rehatec.com](http://www.rehatec.com).**

**Fabric colours**

**Fabrics for supporting surfaces / edges (premium Trevira® CS fabrics)**

Yellow / grey	(GU700-S709)
Pink / grey	(GU702-S709)
Red / grey	(GU703-S709)
Apple green / grey	(GU705-S709)
Light blue / grey	(GU707-S709)
Black / grey	(GU710-S709)



Do not forget to select the frame and cushion colours of your Lasse. They are very important to process your order.




Additional technical details available at [www.rehatec.com](http://www.rehatec.com) -> Downloads. Or send us your request by email, fax or letter.




Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.




Technical changes reserved. Our General Terms and Conditions apply, see [www.rehatec.com](http://www.rehatec.com).




By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, [info@rehatec.com](mailto:info@rehatec.com), [www.rehatec.com](http://www.rehatec.com)

Headrests																										
<b>Bear headrest</b> Code 10048		<b>Headrest, shell-shaped</b> Code 10049		<b>Headrest, adjustable</b> Code 10075																						
		 <table><tr><th>Size</th><th>a</th><th>b</th></tr><tr><td>1</td><td>16 cm</td><td>28 cm</td></tr></table>		Size	a	b	1	16 cm	28 cm	 <table><tr><th>Size</th><th>a</th><th>b</th><th>c</th></tr><tr><td>Mini</td><td>10 cm</td><td>34 cm</td><td>9 cm</td></tr><tr><td>1</td><td>10 cm</td><td>42 cm</td><td>10 cm</td></tr><tr><td>2</td><td>14 cm</td><td>51 cm</td><td>12 cm</td></tr></table>	Size	a	b	c	Mini	10 cm	34 cm	9 cm	1	10 cm	42 cm	10 cm	2	14 cm	51 cm	12 cm
Size	a	b																								
1	16 cm	28 cm																								
Size	a	b	c																							
Mini	10 cm	34 cm	9 cm																							
1	10 cm	42 cm	10 cm																							
2	14 cm	51 cm	12 cm																							
Extra charge	219, – €	Extra charge	219, – €	Extra charge <b>Please choose one!</b> 364, – €																						
More headrests available in the Pro-System and Heads up order forms.																										

Castors								
<b>Lockable castors , 75 mm</b>  Clear space height = 10 cm  	<b>Lockable castors, 100 mm</b>  Code 1022143 Clear space height = 14.5 cm  	<b>Wall and furniture bumpers</b>   <table><tr><th>Code</th><th>astors</th></tr><tr><td>1018607</td><td>75 mm</td></tr><tr><td>1018783</td><td>100 mm</td></tr></table> <div>The total width extends by 4 cm!</div>	Code	astors	1018607	75 mm	1018783	100 mm
Code	astors							
1018607	75 mm							
1018783	100 mm							
<b>Standard</b>	<b>Extra charge</b>	<b>Set</b>						
	96, – €	104, – €						

Supports						
<b>Lateral supports, removable</b> Code 10041-1  Size Mini   <table><tr><th>a</th><th>b</th></tr><tr><td>9 cm</td><td>10 cm</td></tr></table>	a	b	9 cm	10 cm	<b>Armrests, removable</b> Code 10042  	<b>Pelvic support board</b> Size Mini (f = 20 cm)  Combination with PELVI.LOC recommended  
a	b					
9 cm	10 cm					
Pair	Pair	Standard				
293, – €	336, – €					

<b>Knee cups</b> Code 10045 Size Mini (e = 6 cm) 		<b>Knee cups, contoured</b> Code 10074 (e = 8 cm) 	<b>Mechanical stop, knee depth adjustment</b> Code 1023378 
Pair		Pair	Pair
503, – €		567, – €	30, – €

Additional technical details available at [www.rehatec.com](http://www.rehatec.com) -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see [www.rehatec.com](http://www.rehatec.com).




By ordering our products, you confirm that you have read and accepted our General Terms and Conditions




Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, [info@rehatec.com](mailto:info@rehatec.com), [www.rehatec.com](http://www.rehatec.com)


# Leg Positioning, Push Bar and Tray

Heidelberg upright and supine stander Lasse Size Mini – Model 2020

REHATEC®

Leg positioning									
<b>Individual leg abduction</b> Code 10073-Mini  From 0° to 25°  	<b>Multi-adjustable ball joints for split footplates</b>  Code 10051  to support foot flexion, extension, supination and pronation  <div><b>CAUTION! Specified user measurements (c) + (d) + (h) are reduced by 4 cm!</b></div> 	<b>Sandals, foot straps included</b> Code 10052  Size Mini   <table><tr><td>a</td><td>b</td><td>c</td></tr><tr><td>6 cm</td><td>11 cm</td><td>8 cm</td></tr></table>	a	b	c	6 cm	11 cm	8 cm	
a	b	c							
6 cm	11 cm	8 cm							
Pair / Extra charge	757, – €	Pair / Extra charge	271, – €						
		Pair / Extra charge	170, – €						

Tray			
<b>Tray with bowl, cover and grab rail</b> Code 1014547 Adjustable for depth and angle 	<b>Tray with grab rail</b> Code 1011596 Adjustable for depth and angle 	<b>Mechanical stop (adjusting ring) tray depth adjustment</b> Code 1023148 	
Extra charge	895, – €	Extra charge	728, – €
		Pair	30, – €

Push bar	
<b>Push bar</b> Code 10076 	
Extra charge	320, – €

For any customisations, please use the 'Modifications/Customisations' form sheet available at [www.rehatec.com](http://www.rehatec.com) under 'Downloads'.

---

---

---

---

---

---

---

---

---

---

Please consider that the prices of spare parts might differ from the prices specified in this order form.

Additional technical details available at [www.rehatec.com](http://www.rehatec.com) -> Downloads. Or send us your request by email, fax or letter.

Valid from 2023-01-01 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see [www.rehatec.com](http://www.rehatec.com).

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, [info@rehatec.com](mailto:info@rehatec.com), [www.rehatec.com](http://www.rehatec.com)