

Sunny & Sunny Swing Mobility Bases

Operator

| |
|--|
| |
| |
| |
| |

product

| |
|--|
| |
|--|

serial number

| |
|--|
| |
|--|

Scheduled maintenance intervals

| |
|-----------|
| 12 months |
|-----------|

| Item | Assembly | | Settings & functions | | Damage & deformation | | Screw connections | |
|------|----------|--|----------------------|--------------|----------------------|--------------|-------------------|--------------|
| | | | without defects | with defects | without defects | with defects | without defects | with defects |
| 1 | Frame | Frame, straight | | | | | | |
| | | Frame, abducted | | | | | | |
| | | Long frame | | | | | | |
| | | Tipping bar | | | | | | |
| | | Parking brakes/knee lever brakes | | | | | | |
| | | Brake with extension lever | | | | | | |
| | | Castor wheels with wheel forks and castor stems | | | | | | |
| | | Castor wheel stop | | | | | | |
| | | Drive wheels with drum brake carrier and hand brake levers | | | | | | |
| | | Quick-release axles | | | | | | |
| | | Spoke guards | | | | | | |
| | | Wheel guards | | | | | | |
| | | Seat tilting via gas spring | | | | | | |
| | | Wheelchair-tiedown and occupant-restraint system | | | | | | |
| | | scala-/viamobil attachment | | | | | | |
| | | scalamobil anti-tip | | | | | | |
| 2 | Seat | Seat plate | | | | | | |
| | | Trapezoid adapter | | | | | | |
| | | Mounting for footplate | | | | | | |
| 3 | Back | Back adjustment, mechanical | | | | | | |
| | | Back adjustment via gas spring | | | | | | |
| | | Push bar, angle-adjustable | | | | | | |
| | | Push handles | | | | | | |
| | | Mounting device with a split, fixed bracket | | | | | | |
| | | Mounting device with a split, adjustable bracket | | | | | | |

Notes for any repairs and further maintenance:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.[illegible]

Sunny & Sunny Swing Mobility Bases

| Pos. | Baugruppe | | Einstellungen & Funktionen | | Beschädigungen & Verformungen | | Schraubverbindungen | |
|------|-----------|--|----------------------------|------------|-------------------------------|------------|---------------------|------------|
| | | | ohne Mängel | mit Mängel | ohne Mängel | mit Mängel | ohne Mängel | mit Mängel |

Notizen für etwaige Reparaturen und weitere Instandsetzungen:

Inspektion durchgeführt am

Inspektion durchgeführt durch

Unterschrift