

Cost estimate

Sender / billing address

Order

Address for dispatch

Purchaser

Date

Commission




Figure does not comply with the base model and its accessories | Size tolerance of $\pm 3\%$

Base model

- Welded frame design
- Seat tilt up to 30°
- Manual backrest adjustment up to 50°, stepless recline backward
- Wheel camber 0°
- Backrest foldable forward
- Castor wheels with aluminium forks and castor sleeves
- Drive wheels with push rims, drum brake mounts and hand brake levers
- Push handles

This mobility base complies with ISO 7176-19, transporting users in motor vehicles (with wheelchair-tiedown and occupant-restraint system).

Weight and load capacity

Weight: depending on configuration, from 14 kg

Load capacity: maximum patient weight incl. seat shell – 120 kg

From a total weight of 90 kg, an additional gas spring is required!

Please consider this when placing your order!

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited. Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com







Fig. Mika with straight frame

Fig. Mika with abduction frame

Size tolerance of $\pm 3\%$

Base model measurements

Size	(a) Frame length (4)	(c) Seat plate - back depth (1)		(f) Min. seat height (2)	(b) Total width (3)		
		Standard seat plate	Extended seat plate		Standard	Abduction	Abduction with long frame
0	67 cm	29,5 – 34,5 cm	39 – 44 cm	41 cm	59 cm	60 cm	63,5 cm
1	67 cm	29,5 – 34,5 cm	39 – 44 cm	41 cm	62,5 cm	63 cm	66,5 cm
2	74 cm	39 – 44 cm	44 – 49 cm	46 cm	65 cm	67 cm	70,5 cm
3	74 cm	39 – 44 cm	44 – 49 cm	46 cm	68 cm	70 cm	71 cm

(1) Front edge of seat plate to back tube; adjustable in 2.5 cm increments. Compare the technical data at www.rehatec.com

(2) With 20" driving wheels. (3) With 20" driving wheels and 6" front tyres. (4) Straight Frame.

Size	(g) Seat plate - back height	Seat plate width	(d) Seat plate depth		(e) Knee angle extension from seat plate	Wheel base extension
			Standard	Extended		
0	55 – 65 cm	29,5 cm	29,5 cm	39 cm	up to 11 cm	up to 12,5 cm
1	55 – 65 cm	32,5 cm	29,5 cm	39 cm	up to 11 cm	up to 12,5 cm
2	55 – 65 cm	35,5 cm	39 cm	44 cm	up to 20 cm	up to 10 cm
3	55 – 65 cm	38,5 cm	39 cm	44 cm	up to 20 cm	up to 10 cm

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Backrest, armrests and trapezoidal adapter

Mika Mobility Base

REHATEC®

Measurements

Seat shell width	Seat shell depth	Total weight (patient + seat shell)
cm	cm	kg

Additional gas spring required if total weight exceeds 90 kg!

Brake handles

Lock automatically
(standard)

Need to be locked
manually

Patient's muscle tone

Stereotypic behaviour
(e.g. permanent body rocking)*

* Please check whether any customisations, such as reinforcements of the base frame, are required due to stereotypical behaviour! Requirements can be specified under "Notes" on the last page!

Drive wheels including drum brake

Caution!

Mountainbike and Big Apple wheels extend Galileo's total width by 4 cm!

Standard version



Mountainbike

Code 4062
Off-road tyres




Big Apple

Code 4068
Wide tyres for increased contact area



Marathon

Code 4080 (22")
Code 4074 (24")
Narrow tyres, shallow tread



Pair

12"

20"

22"

24"

Pair

24"

Pair

24"

Pair

22"

24"

Pair/Extra charge

89, - €

Solid rubber
Pneumatic

Grey
Black
Grey
Black

Possible combinations

	12"	20"	22"	24"
6"	✓	✓	✓	✓
7"	✓	✓	✓	✓
8"	—	—	—	✓


Castor wheels

		6"	7"	8" (2)
Solid rubber	Grey			
	Black			
Pneumatic	Grey			
	Black			


(2) Not in combination with 12"/20" drive wheels

Backs


Fastening system for the
back, fixed bracket
Code 375



Fastening system for the
back, adjustable bracket
Code 375-W




Push bar, adjustable in
height and for angle
Code 331



Back adjustable via gas spring
Code 362

For an easy recline of
the back



Set

290, - €

Set

327, - €

Extra charge

83, - €


Optional (Free of charge)

Armrests

Arm rests, standard
Code 1017771

Toothed segments make them adjustable in height, width & angle

(a) Pipe length
23 cm
28 cm
33 cm




Size	(b) Space between the arm rests
0	27 - 42 cm
1	30 - 45 cm
2	33 - 48 cm
3	36 - 51 cm

Arm rests, comfort
Code 1017437

Clamping system makes them adjustable in height, width & angle
Backwards foldable by 95°

(a) Pipe length
29 cm
34 cm
39 cm



Size	(b) Space between the arm rests
0	34 - 49 cm
1	37 - 52 cm
2	40 - 55 cm
3	43 - 58 cm

Extra charge

Please select

350, - €

Extra charge

Please select

513, - €



Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.



Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.



Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.





By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Seat shell adapter																											
Trapezoidal adapter, complete  <table border="1"> <thead> <tr> <th>Code</th><th>Size</th><th>a</th><th>b</th></tr> </thead> <tbody> <tr> <td>1008603</td><td>0/1</td><td>24 cm</td><td>25 cm</td></tr> <tr> <td>1008589</td><td>2/3</td><td>30 cm</td><td>28 cm</td></tr> </tbody> </table>		Code	Size	a	b	1008603	0/1	24 cm	25 cm	1008589	2/3	30 cm	28 cm	Trapezoidal adapter, underframe  <table border="1"> <thead> <tr> <th>Code</th><th>Size</th><th>a</th><th>b</th></tr> </thead> <tbody> <tr> <td>1011358</td><td>0/1</td><td>24 cm</td><td>25 cm</td></tr> <tr> <td>1011356</td><td>2/3</td><td>30 cm</td><td>28 cm</td></tr> </tbody> </table>		Code	Size	a	b	1011358	0/1	24 cm	25 cm	1011356	2/3	30 cm	28 cm
Code	Size	a	b																								
1008603	0/1	24 cm	25 cm																								
1008589	2/3	30 cm	28 cm																								
Code	Size	a	b																								
1011358	0/1	24 cm	25 cm																								
1011356	2/3	30 cm	28 cm																								
Set		438, – €	Extra charge																								
			230, – €																								

Accessories for electric drives			
Bracket for scalamobil / viamobil Code 321 		Mounting of the scalamobil / viamobil bracket at Rehatec Code 4005 	
Not possible with Size 0!		Not eligible for discount!	
Set		356, – €	Pair (customisation)
		89, – € Netto	865, – €

Safety			
Tipping bar Code 342 		Anti-tip Code 341 	
Not available for scalamobil/viamobil! Please use code 341-A for scalamobil anti-tippers!			
Left	93, – €	Left	161, – €
Right	93, – €	Right	161, – €

<div><div>Wheel guard</div><div>Code 360</div><div><div>Colour: Graphite black matt (RAL 9011m)</div><div>When used reduces „dimension d“ by approx. 3 cm!</div><div><table><tr><td>12"</td><td>20"</td><td>22"</td><td>24"</td></tr><tr><td>—</td><td>✓</td><td>✓</td><td>✓</td></tr></table></div></div><div></div></div>	12"	20"	22"	24"	—	✓	✓	✓	<div><div>Spoke guards, transparent</div><div><table><tr><td></td><td>Code</td></tr><tr><td>20"</td><td>1013997</td></tr><tr><td>22"</td><td>1014001</td></tr><tr><td>24"</td><td>1014006</td></tr></table><table><tr><td>12"</td><td>20"</td><td>22"</td><td>24"</td></tr><tr><td>—</td><td>✓</td><td>✓</td><td>✓</td></tr></table></div><div></div></div>		Code	20"	1013997	22"	1014001	24"	1014006	12"	20"	22"	24"	—	✓	✓	✓	<div><div>Parking brake/knee lever brake at the drive wheel</div><div>Code 324</div><div></div></div>	<div><div>Parking brake with extension handle</div><div>Code 1011637</div><div>Extension of the brake lever by 5.5 cm</div><div></div></div>
12"	20"	22"	24"																								
—	✓	✓	✓																								
	Code																										
20"	1013997																										
22"	1014001																										
24"	1014006																										
12"	20"	22"	24"																								
—	✓	✓	✓																								
<div><div>Pair</div><div>297, – €</div></div>	<div><div>Pair</div><div>225, – €</div></div>	<div><div>Pair</div><div>183, – €</div></div>	<div><div>Pair</div><div>61, – €</div></div>																								

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Leg Positioning




Mika Mobility Base

REHATEC®

Kraftknotensystem Code 399-1 For a safe transport of the wheelchair frame and patient in a motor vehicle Lashing rings incl. a pelvis restraint belt adjustable in length (590 / 1225 mm)	Montage des Kraftknoten-systems durch REHATEC® Code 4005 <div style="border: 2px solid red; padding: 5px; text-align: center;"> In general, a restraint system is not available for customisations! Whether a system is feasible or not can only be decided in each individual case! </div> <div style="border: 2px solid red; padding: 5px; text-align: center;"> Not eligible for discount! </div>
Set (customisation)	

In case you do not want Rehatec to install your restraint system, please consider that you have to dismount some parts for the installation and mount them again.

Leg Positioning				
Footplate Adjustable knee angle, foot angle fixed Steel knee angle, aluminium footplate Code 353  <div style="border: 2px solid red; padding: 5px; text-align: center;"> Depth of 24 cm only available for Mika Size 2+3! </div>	Footplate, parted Adjustable knee angle, foot angle fixed Steel knee angle, aluminium footplate Code 353  <div style="border: 2px solid red; padding: 5px; text-align: center;"> Depth of 24 cm only available for Mika Size 2+3! </div>	Mounting bracket on seat plate for third-party footrest Code 1011252 20 x 20 mm square tube incl. insert for 15 x 15 mm square tuber 		
16 cm deep (Code 213) 336, – € 24 cm deep (Code 213.24) 388, – €	16 cm deep (Code 21301) 415, – € 24 cm deep (Code 21301.24) 468, – €	Extra charge 124, – €		

<div><div>Foot angle, adjustable</div><div>Code 214</div><div></div><div><div>Not available for folding mechanism.</div></div></div>	<div><div>Folding mechanism -22° to 90°</div><div>Code 1017724</div><div></div><div><div>Not possible in combination with „adjustable foot angle“</div></div></div>	<div><div>Heel loop</div><div></div><table><tr><th>Code</th><th>Footplate</th><th>Menge</th></tr><tr><td>217-1</td><td>for continuous footplate</td><td>Stück</td></tr><tr><td>217-2</td><td>for split footplate</td><td>Paar</td></tr></table></div>	Code	Footplate	Menge	217-1	for continuous footplate	Stück	217-2	for split footplate	Paar
Code	Footplate	Menge									
217-1	for continuous footplate	Stück									
217-2	for split footplate	Paar									
<div><div>Extra charge</div><div>121, – €</div></div>	<div><div>Piece / Pair</div><div>189, – €</div></div>	<div><div>Set</div><div>121, – €</div></div>									

Leg positioning

Calf pad, continuous

Code	For size	a	b
1010801	0 / 1	11 cm	28 cm
1010802	2	11 cm	31 cm
1010803	3	16 cm	33 cm
1010804	2 ⁽¹⁾	16 cm	36 cm
1010805	3 ⁽¹⁾	16 cm	39 cm

Calf pads, split

Code	For size	a	b	c
1010835	0 / 1	11 cm	12,5 cm	26,5 cm
1010837	2 / 3	11 cm	15 cm	31 cm
1010314	2 ⁽¹⁾ / 3 ⁽¹⁾	16 cm	18 cm	37,5 cm

Extra charge

206, – €

Pair

256, – €

⁽¹⁾ mit Abduktionsrahmen

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our General Terms and Conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our General Terms and Conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.