



Heidelberg Mobility Standing Frame Speedy

suitable from about 90 cm to about 175 cm

REHATEC®



Size 0



Size 3

Cost estimate

Order

Address / Billing address

Delivery address

Purchaser

Date

Commission

Figure does not comply with base model
and its accessories |
Dimensional tolerances $\pm 3\%$

Base Model Size 0 - 3

- Base frame
- Centre column
- Crotch pad
- Support wheels
- Footplate, height-adjustable (size 0 and 1)
- Footplate, fixed (size 2 and 3)
- Sandals, removable
Speedy size 0 = size 0; Speedy size 1, 2 and 3 = size 1
- Drive wheels ⁽¹⁾
- knee support
- Pelvic supports
- Standard chest support
- Recline adjustment
- 7° camber

Max. user weight:

- Size 0 - max. user weight: 40 kg
- Size 1 - max. user weight: 50 kg
- Size 2 - max. user weight: 60 kg
- Size 3 - max. user weight: 75 kg

Body Size:

- Size 0 - max. user height: ca. 90 - 105 cm
- Size 1 - max. user height: ca. 105 - 140 cm
- Size 2 - max. user height: ca. 135 - 160 cm
- Size 3 - max. user height: ca. 150 - 175 cm

⁽¹⁾ Please note that some sizes might be subject to an extra charge.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited. Technical changes reserved. Our general terms and conditions apply, see www.rehatec.com.


By ordering our products, you confirm that you have read and accepted our general terms and conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

User measurements

Heidelberg Mobility Standing Frame Speedy

REHATEC®



(1) CAUTION:

For technical reasons, the distance between the therapy table height (a) and the height of the pelvic middle (c) amounts to at least 20 cm!

Patient's muscle tone

Stereotypical movements
(e.g. permanent rocking)*


*If there are stereotypical movements, please check whether the stander requires any special customisation. Requirements can be listed under 'Notes' on the last page!

Dimensional tolerances $\pm 3\%$

Base model/user measurements				Please complete!					
	Therapy table height ⁽¹⁾ (a)	Knee height (b)	Height of pelvic middle ⁽¹⁾ (c)	Knee width (e)	Pelvic width ⁽²⁾ (f)	Chest width ⁽³⁾ (g)	Crotch pad height (h)	User weight	User height (d)
Size 0	54 - 70 cm	14 - 40 cm	23 - 46 cm	6 - 13 cm	15 - 25 cm	–	23 - 46 cm	40 kg	Recommended drive wheel sizes on page 5
Size 1	60 - 90 cm	25 - 45 cm	39 - 70 cm	6 - 13 cm	15 - 25 cm	16 - 28 cm	39 - 70 cm	50 kg	
Size 2	79 - 108 cm	36 - 56 cm	57 - 85 cm	6 - 13 cm	26 - 40 cm	19 - 33 cm	57 - 85 cm	60 kg	
Size 3	89 - 113 cm	36 - 56 cm	67 - 90 cm	6 - 13 cm	29 - 45 cm	22 - 37 cm	67 - 90 cm	75 kg	
User	cm	cm	cm	cm	cm	cm	cm	kg	cm

(2) With crotch pad | (3) for chest support with lateral supports

Dimensions					
	Wheel size	Grip width User (i)	Width between the drive wheels (J)	Grip height User (K)	Total width (L)
Size 0	22"	44,0 cm	37,0 cm	62,0 cm	58,0 cm
	24"	42,0 cm	35,0 cm	67,0 cm	60,0 cm
Size 1	28"	54,5 cm	41,5 cm	60,5 cm	74,0 cm
	30"	53,0 cm	40,0 cm	67,5 cm	75,0 cm
	32"	52,5 cm	39,5 cm	73,0 cm	75,5 cm
Size 2	32"	61,5 cm	48,5 cm	70,5 cm	80,0 cm
	34"	60,5 cm	48,0 cm	76,0 cm	80,5 cm
	36"	60,0 cm	47,5 cm	80,5 cm	81,0 cm
	38"	58,0 cm	45,5 cm	86,0 cm	81,5 cm
Size 3	32"	66,5 cm	53,5 cm	75,5 cm	85,0 cm
	34"	65,5 cm	53,0 cm	81,0 cm	85,5 cm
	36"	65,0 cm	52,5 cm	85,5 cm	86,0 cm
	38"	63,0 cm	40,5 cm	91,0 cm	86,5 cm



Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our general terms and conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our general terms and conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com



Page 2



20.05.26


1023942_4.2_EN



Therapy table and Supports


Heidelberg Mobility Standing Frame Speedy


Therapy table															
Therapy table (wood)	Therapy table (plexiglass)														
															
<table><tr><th>Code</th><th>For size</th></tr><tr><td>1017078</td><td>0+1</td></tr><tr><td>1017079</td><td>2+3</td></tr></table>	Code	For size	1017078	0+1	1017079	2+3	<table><tr><th>Code</th><th>For size</th></tr><tr><td>1004931</td><td>0</td></tr><tr><td>1003495</td><td>1</td></tr><tr><td>1002221</td><td>2+3</td></tr></table>	Code	For size	1004931	0	1003495	1	1002221	2+3
Code	For size														
1017078	0+1														
1017079	2+3														
Code	For size														
1004931	0														
1003495	1														
1002221	2+3														
Extra charge 439,-€	Extra charge 517,-€														


Knee supports																			
Knee supports standard	Contoured knee supports																		
																			
<table><tr><th>For size</th><th>Code</th></tr><tr><td>0+1</td><td>1022425</td></tr><tr><td>2+3</td><td>1016734</td></tr></table>	For size	Code	0+1	1022425	2+3	1016734	<table><tr><th>Size</th><th>Knee width</th><th>Code</th></tr><tr><td>1</td><td>8 cm</td><td>1005171</td></tr><tr><td>2</td><td>11,5 cm</td><td>1016748</td></tr><tr><td>3</td><td>13 cm</td><td>1016747</td></tr></table>	Size	Knee width	Code	1	8 cm	1005171	2	11,5 cm	1016748	3	13 cm	1016747
For size	Code																		
0+1	1022425																		
2+3	1016734																		
Size	Knee width	Code																	
1	8 cm	1005171																	
2	11,5 cm	1016748																	
3	13 cm	1016747																	
Standard	Pair/extra charge 128,-€																		

Padding for swivel joints of the contoured knee supports Code 1018713 Material: Neoprene		
Two pieces are required for each knee support		
Set (4 Pieces)		201,-€

Knee support mechanism							
Separately adjustable knee supports Code 1021361-A	Knee supports adjustable in height, width and depth						
							
Only possible for sizes 2 + 3!	<table><tr><th>For size</th><th>Code</th></tr><tr><td>0+1</td><td>1017573-A</td></tr><tr><td>2+3</td><td>1021345-A</td></tr></table>	For size	Code	0+1	1017573-A	2+3	1021345-A
For size	Code						
0+1	1017573-A						
2+3	1021345-A						
Pair/extra charge 222,-€	Pair/extra charge 222,-€						

Chest support																																				
Chest support, curved																																				
<table><tr><th>Size</th><th>Code</th></tr><tr><td>0</td><td>1002268</td></tr><tr><td>1</td><td>1003622</td></tr><tr><td>2</td><td>1003623</td></tr><tr><td>3</td><td>1020576</td></tr></table>	Size	Code	0	1002268	1	1003622	2	1003623	3	1020576	<table><tr><th>Size</th><th>a</th><th>b</th><th>g</th><th>d</th></tr><tr><td>0</td><td>13 cm</td><td>11 cm</td><td>14,5 cm</td><td>9 cm</td></tr><tr><td>1</td><td>15 cm</td><td>11 cm</td><td>18,5 cm</td><td>9 cm</td></tr><tr><td>2</td><td>15 cm</td><td>11 cm</td><td>21,5 cm</td><td>9 cm</td></tr><tr><td>3</td><td>17 cm</td><td>12 cm</td><td>28 cm</td><td>11 cm</td></tr></table>	Size	a	b	g	d	0	13 cm	11 cm	14,5 cm	9 cm	1	15 cm	11 cm	18,5 cm	9 cm	2	15 cm	11 cm	21,5 cm	9 cm	3	17 cm	12 cm	28 cm	11 cm
Size	Code																																			
0	1002268																																			
1	1003622																																			
2	1003623																																			
3	1020576																																			
Size	a	b	g	d																																
0	13 cm	11 cm	14,5 cm	9 cm																																
1	15 cm	11 cm	18,5 cm	9 cm																																
2	15 cm	11 cm	21,5 cm	9 cm																																
3	17 cm	12 cm	28 cm	11 cm																																
Standard																																				

Chest support with lateral supports																						
Not available for size 0																						
<table><tr><th>Code</th><th>For size</th><th>Chest support (B x H)</th><th>Lateral support (B x H)</th><th>Chest width</th></tr><tr><td>1010736</td><td>1</td><td>24 x 27 cm</td><td>12 x 17 cm</td><td>18 – 28 cm</td></tr><tr><td>1021287</td><td>2</td><td>24 x 32 cm</td><td>13 x 19 cm</td><td>19 – 33 cm</td></tr><tr><td>1021297</td><td>3</td><td>30 x 37 cm</td><td>14 x 20 cm</td><td>22 – 37 cm</td></tr></table>	Code	For size	Chest support (B x H)	Lateral support (B x H)	Chest width	1010736	1	24 x 27 cm	12 x 17 cm	18 – 28 cm	1021287	2	24 x 32 cm	13 x 19 cm	19 – 33 cm	1021297	3	30 x 37 cm	14 x 20 cm	22 – 37 cm		
Code	For size	Chest support (B x H)	Lateral support (B x H)	Chest width																		
1010736	1	24 x 27 cm	12 x 17 cm	18 – 28 cm																		
1021287	2	24 x 32 cm	13 x 19 cm	19 – 33 cm																		
1021297	3	30 x 37 cm	14 x 20 cm	22 – 37 cm																		
Extra charge 411,-€																						

Sternum chest support, incl. adjustable lateral supports adjustable for width and height																																					
<table><tr><th>Code</th><th>Size</th><th>g</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>1021966</td><td>Mini</td><td>16 – 25 cm</td><td>15 cm</td><td>19,5 cm</td><td>12 cm</td><td>12 cm</td></tr><tr><td>1021967</td><td>0</td><td>20 – 28 cm</td><td>20 cm</td><td>20,5 cm</td><td>15,5 cm</td><td>12 cm</td></tr><tr><td>1021951</td><td>1</td><td>24 – 32 cm</td><td>22 cm</td><td>23 cm</td><td>17,5 cm</td><td>15 cm</td></tr><tr><td>1021942</td><td>2</td><td>29 – 38 cm</td><td>28 cm</td><td>24 cm</td><td>17,5 cm</td><td>15 cm</td></tr></table>	Code	Size	g	b	c	d	e	1021966	Mini	16 – 25 cm	15 cm	19,5 cm	12 cm	12 cm	1021967	0	20 – 28 cm	20 cm	20,5 cm	15,5 cm	12 cm	1021951	1	24 – 32 cm	22 cm	23 cm	17,5 cm	15 cm	1021942	2	29 – 38 cm	28 cm	24 cm	17,5 cm	15 cm		
Code	Size	g	b	c	d	e																															
1021966	Mini	16 – 25 cm	15 cm	19,5 cm	12 cm	12 cm																															
1021967	0	20 – 28 cm	20 cm	20,5 cm	15,5 cm	12 cm																															
1021951	1	24 – 32 cm	22 cm	23 cm	17,5 cm	15 cm																															
1021942	2	29 – 38 cm	28 cm	24 cm	17,5 cm	15 cm																															
Extra charge 497,-€																																					



Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.




Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our general terms and conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our general terms and conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

Back support		Back support with adjustable angle	
Back support 		Back support with adjustable angle 	
Code	For size	Code	For size
1003654	0+1	1021304	0+1
1021253	2	1021300	2
1021254	3	1021302	3
Extra charge		Extra charge	
250,-€		439,-€	

Sandals																							
<div>Sandals, removable</div> <div></div> <div><table><tr><th>Code</th><th>size</th></tr><tr><td>1016815</td><td>0*</td></tr><tr><td>1014406</td><td>1</td></tr></table></div>	Code	size	1016815	0*	1014406	1	<div>Sandals, screw-mounted</div> <div></div> <div><table><tr><th>Code</th><th>size</th><th>a</th><th>b</th><th>c</th></tr><tr><td>1016805</td><td>0*</td><td>9,5 cm</td><td>10,5 cm</td><td>5 cm</td></tr><tr><td>1014407</td><td>1</td><td>10,5 cm</td><td>13,5 cm</td><td>7 cm</td></tr></table></div>	Code	size	a	b	c	1016805	0*	9,5 cm	10,5 cm	5 cm	1014407	1	10,5 cm	13,5 cm	7 cm	<div>Foot straps, short</div> <div>Code 1014394</div> <div></div> <div><div>Recommended for screwmounted sandals</div></div>
Code	size																						
1016815	0*																						
1014406	1																						
Code	size	a	b	c																			
1016805	0*	9,5 cm	10,5 cm	5 cm																			
1014407	1	10,5 cm	13,5 cm	7 cm																			
Standard	Pair / Extra charge	73,-€	Pair	61,-€																			

* Size 0 sandals only available for Speedy Size 0!

Drive wheels			
Drive wheels (pair) Solid rubber, grey for size 0: 22" (55 cm) - Code 16165-22 (Optional) 24" (60 cm) - Code 16165-24 (Optional)	Drive wheels (pair) Solid rubber, black for size 1: 28" (68 cm) - Code 1027920 (Standard), 30" (74,5 cm) - Code 1027921 (Pair 263,- €) 32" (80 cm) - Code 1027297 (Pair 263,- €)	Drive wheels (pair) Solid rubber, black for sizes 2 and 3: 32" (80 cm) - Code 1027297 (Standard) 34" (85 cm) - Code 1027922 (Pair 509,- €) 36" (89 cm) - Code 1027298 (Pair 654,- €) 38" (95 cm) - Code 1027299 (Pair 654,- €)	Recommended drive wheels for body height 22"/24": Maximum height: 1.00 m 28": ~ 1.20 m height 30": ~ 1.30 m height 32": ~ 1.40 m height 34": ~ 1.50 m height 36": ~ 1.60 m height 38": ~ 1.70 m height
<div style="border: 1px solid black; padding: 5px;"> Height specified on page 2 cm </div>			

Spokeguard		
Spoke guards, transparent (for drive wheels size 0) 22" - Code 1003871 24" - Code 1005505	Spoke guards, transparent (for drive wheels size 1) 28" - Code 1027908 30" - Code 1027909 32" - Code 1027863	Spoke guards, transparent (for drive wheels size 2 and 3) 32" - Code 1027863 34" - Code 1027910 36" - Code 1027692 38" - Code 1027882
Pair	Pair 28" and 30"	Pair
229,-€	255,-€ 371,-€	371,-€

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our general terms and conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our general terms and conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, T: +49 6228 9136-0, F: +49 6228 9136-99, info@rehatec.com, www.rehatec.com

For any customisations, please use the 'Modifications/Customisations' form sheet available at www.rehatec.com under 'Downloads'.

Please consider that the prices of spare parts might differ from the prices specified in this order form.

Additional technical details available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.

Additional technical details are available at www.rehatec.com -> Downloads. Or send us your request by email, fax or letter.
Valid from 01.01.2026 until recalled. © Unauthorized duplication without prior permission of Rehatec GmbH is strictly prohibited.

Technical changes reserved. Our general terms and conditions apply, see www.rehatec.com.

By ordering our products, you confirm that you have read and accepted our general terms and conditions

Rehatec® GmbH, In den Kreuzwiesen 35, 69250 Schönau, **T: +49 6228 9136-0, F: +49 6228 9136-99**, info@rehatec.com, www.rehatec.com